

La Colorado Skarn

Drill Hole Collar Table.....Page 1

(Coordinates in the local mine grid system)

Drill Hole Assay Composite Table..... Page 3

Cross Section and Plans.....Page 5

La Colorado Skarn Drill Hole Collar Table

Hole No.	Zone	UTME	UTMN	Elev (masl)	Az (°)	Incl. (°)	Hole Start Depth (m)	Total Depth (m)	Meters drilled (m)
D-05-01-23	Infill	4,622.6	5,603.2	2,578.4	154	-77	632.5	1,677.7	1,045.3
D-05-02-23	Infill	4,622.6	5,603.2	2,578.4	202	-82	676.9	1,673.0	996.1
D-05-03-23	Infill	4,622.6	5,603.2	2,578.4	143	-87	700.3	1,706.9	1,006.6
D-05-04-23	Infill	4,622.6	5,603.2	2,578.4	128	-86	717.7	1,704.0	986.3
D-06-01-23	Infill	4,387.6	5,518.4	2,495.0	119	-79	737.2	1,601.0	863.8
D-06-02-23	Infill	4,387.6	5,518.4	2,495.0	151	-79	777.0	1,599.0	822.0
D-16-01-23	Infill	4,750.5	5,589.7	2,612.0	234	-88	577.1	1,691.9	1,114.8
D-63-03-23	Infill	4,534.0	5,547.0	2,542.3	136	-74	770.5	1,670.5	900.1
D-63-04-23	Infill	4,534.0	5,547.0	2,542.3	111	-76	793.1	1,668.5	875.4
D-63-05-23	Infill	4,534.0	5,547.0	2,542.3	106	-70	755.1	1,668.0	912.9
D-93-07-23	Infill	4,926.3	5,166.1	2,469.7	279	-81	750.0	1,581.0	831.1
D-93-08-23	Infill	4,926.3	5,166.1	2,469.7	326	-71	778.5	1,598.9	820.5
D-93-09-23	Infill	4,926.3	5,166.1	2,469.7	255	-70	795.2	1,601.9	806.8
D-96-13-23	Infill	4,654.7	5,286.4	2,506.4	91	-80	714.2	1,641.0	926.9
D-96-14-23	High Grade Ext.	4,654.7	5,286.4	2,506.4	262	-88	728.8	1,580.0	851.3
D-96-15-23	Infill	4,654.7	5,286.4	2,506.4	129	-67	748.8	1,647.0	898.2
S-05-23	Infill	4,622.6	5,603.2	2,578.4	167	-81	0.0	1,662.4	1,662.4
S-06-23	Infill	4,387.6	5,518.4	2,495.0	99	-81	0.0	1,602.0	1,602.0
S-09-23	Infill	4,750.8	5,588.7	2,612.5	153	-84	0.0	408.7	408.7
S-16-23	Infill	4,750.5	5,589.7	2,612.0	154	-86	0.0	1,316.3	1,316.3
S-37-23	Expl.	2,933.0	5,842.9	2,487.8	230	-90	0.0	908.4	908.4
S-51-23	Expl.	3,535.1	5,523.4	2,525.0	281	-89	0.0	899.5	899.5
U-103-22	Infill	4,496.0	5,331.5	2,073.5	73	-77	0.0	1,139.3	1,139.3
U-105-22	Geotech	5,259.9	5,415.2	1,999.0	111	-62	0.0	772.2	772.2

Hole No.	Zone	UTME	UTMN	Elev (masl)	Az (°)	Incl. (°)	Hole Start Depth (m)	Total Depth (m)	Meters drilled (m)
U-113-22	Geotech	5,259.0	5,416.3	2,002.4	69	-58	0.0	475.0	475.0
U-124-22	Geotech	5,259.4	5,416.6	2,003.6	96	-77	0.0	736.0	736.0
U-19-23	High Grade Ext.	4,495.5	5,332.3	2,070.5	68	-85	0.0	1,157.9	1,157.9
U-28-23	Infill	4,843.0	5,324.2	1,995.5	303	-84	0.0	1,079.0	1,079.0
U-30-23	High Grade Ext.	4,495.2	5,333.1	2,070.6	44	-82	0.0	1,169.3	1,169.3
U-43-23	High Grade Ext.	4,495.2	5,333.1	2,070.6	107	-85	0.0	1,176.7	1,176.7
U-44-23	Infill	4,845.3	5,323.7	1,998.3	305	-86	0.0	1,110.7	1,110.7
U-63-23	High Grade Ext.	4,495.2	5,333.1	2,070.6	10	-85	0.0	1,182.1	1,182.1
U-70-23	Infill	4,844.2	5,324.1	1,996.0	331	-82	0.0	1,110.1	1,110.1
U-81-23	Infill	4,495.2	5,333.1	2,070.6	139	-87	0.0	1,187.9	1,187.9

La Colorada Skarn Drill Hole Assay Composite Table

Hole No.	Zone	From (m)	To (m)	Int. (m)	Ag (g/t)	Cu %	Pb %	Zn %
D-05-01-23	Infill	984.30	1,125.95	141.65	78	0.03	3.96	5.92
	Incl.	1,057.00	1,125.95	68.95	140	0.05	7.57	11.61
	and	1,368.85	1,374.05	5.20	39	0.28	3.97	10.83
	and	1,400.30	1,597.85	197.55	51	0.14	1.83	6.87
	Incl.	1,454.65	1,488.55	33.90	93	0.25	4.93	13.40
D-05-02-23	Infill	961.45	965.60	4.15	209	0.06	5.19	4.15
	Incl.	996.30	1,006.55	10.25	85	0.03	3.91	4.62
	and	1,375.60	1,401.25	25.65	64	0.22	0.12	8.98
	and	1,447.10	1,456.50	9.40	17	0.13	1.76	2.56
	Incl.	1,558.80	1,563.15	4.35	216	0.31	1.32	5.70
D-05-03-23	Infill	1,255.55	1,275.10	19.55	37	0.14	3.07	4.83
	and	1,329.50	1,344.65	15.15	39	0.14	0.94	2.39
	and	1,454.80	1,470.00	15.20	72	0.09	4.70	5.41
D-05-04-23	Infill	1,162.05	1,205.05	43.00	51	0.06	2.55	4.26
D-06-01-23	Infill	792.30	801.25	8.95	82	0.14	3.54	8.09
	and	929.55	949.65	20.10	20	0.07	1.22	2.62
D-06-02-23	Infill	788.80	797.70	8.90	73	0.23	2.70	8.10
D-16-01-23	Infill	1,185.85	1,193.25	7.40	108	0.25	4.20	6.99
	and	1,376.65	1,549.35	172.70	58	0.40	1.55	1.79
D-63-03-23	Infill	1,146.70	1,156.10	9.40	52	0.14	3.86	9.78
	and	1,437.45	1,452.80	15.35	92	0.06	0.81	1.54
D-63-04-23	Infill	1,422.80	1,502.85	80.05	86	0.09	0.95	3.03
D-63-05-23	Infill	1,548.40	1,570.00	21.60	179	1.36	0.11	0.29
D-93-07-23	Infill	933.90	942.55	8.65	44	0.54	2.27	6.02
	and	1,071.50	1,431.55	360.05	53	0.15	3.68	3.43
	Incl.	1,152.00	1,199.35	47.35	252	0.39	15.09	12.51
D-93-08-23	Infill	1,166.95	1,495.40	328.45	71	0.08	2.57	3.79
	Incl.	1,185.80	1,231.00	45.20	347	0.16	9.90	8.68
D-93-09-23	Infill	1,025.20	1,357.60	332.40	144	0.10	4.11	4.78
	Incl.	1,131.20	1,221.05	89.85	461	0.14	10.63	11.05
D-96-13-23	Infill	1,077.70	1,517.20	439.50	72	0.05	2.13	3.27
	Incl.	1,426.05	1,461.70	35.65	61	0.13	4.89	10.83
D-96-14-23	High Grade Ext.	1,333.85	1,552.00	218.15	41	0.11	1.04	2.57
D-96-15-23	Infill	1,201.25	1,411.80	210.55	55	0.09	3.02	4.05

	Incl.	1,242.30	1,281.30	39.00	192	0.16	9.66	12.21
S-05-23	Infill	1,467.65	1,478.25	10.60	37	0.04	0.87	3.23
S-16-23	Infill	413.30	416.55	3.25	1349	0.17	1.06	2.25
S-51-23	Infill	411.85	421.50	9.65	108	0.04	0.71	2.65
	and	772.55	781.65	9.10	62	0.03	2.62	7.45
U-103-22	Infill	384.70	393.65	8.95	595	0.21	4.16	4.70
	and	723.35	997.30	273.95	82	0.07	2.85	3.26
	Incl.	723.35	770.00	46.65	230	0.23	13.81	11.17
U-105-22	Geotech	480.70	551.30	70.60	28	0.11	1.24	2.44
	and	703.15	712.45	9.30	51	0.45	2.70	6.65
U-113-22	Geotech	376.65	391.60	14.95	74	0.34	1.67	4.54
	and	447.35	468.90	21.55	34	0.13	1.49	3.71
U-124-22	Geotech	138.35	159.95	21.60	49	0.32	0.81	2.53
	and	446.70	726.10	279.40	45	0.12	2.75	4.60
	Incl.	543.55	723.15	179.60	59	0.16	3.81	6.37
U-19-23	High Grade Ext.	414.95	882.35	293.15	27	0.06	0.55	3.19
	Incl.	825.95	882.35	56.40	31	0.23	0.09	12.86
U-28-23	Infill	540.00	970.05	430.05	28	0.08	1.17	4.00
	Incl.	691.00	729.30	38.30	98	0.29	4.28	11.43
U-30-23	High Grade Ext.	666.75	818.05	151.30	38	0.06	2.31	5.98
	Incl.	666.75	716.70	49.95	92	0.09	6.32	16.18
U-43-23	High Grade Ext.	755.20	916.30	161.10	96	0.04	1.86	3.00
U-44-23	Infill	300.50	344.35	43.85	50	0.05	1.37	1.87
	and	513.40	954.45	441.05	25	0.04	1.12	2.97
	Incl.	666.65	718.65	52.00	32	0.07	2.09	5.61
U-63-23	High Grade Ext.	478.70	510.00	31.30	31	0.07	1.68	2.58
	and	643.00	689.35	46.35	182	0.06	6.37	12.82
	Incl.	644.40	666.80	22.40	349	0.09	11.57	22.59
U-70-23	Infill	390.80	406.60	15.80	77	0.18	4.09	6.99
	and	558.15	963.90	405.75	37	0.31	1.16	2.49
	Incl.	599.75	646.10	46.35	57	0.27	3.73	11.05
U-81-23	Infill	895.55	910.30	14.75	53	0.08	1.73	3.24
	and	953.45	985.30	31.85	22	0.03	0.15	4.94

La Colorada Skarn Cross Section and Plans




Figure 1. La Colorada Skarn - Plan View




Figure 2. La Colorada Skarn - Long Section A




Figure 3. La Colorada Skarn - Long Section B




Figure 4. La Colorada Skarn - Long Section C